

# Shower and commode chairs



[www.rebotec.de](http://www.rebotec.de)

# Bremen

## Shower-commode chair

### Equipment:

- ergonomically shaped backrest with polyurethane back cushion
- integrated handlebar
- swinging armrests enable easy side transfer
- shower seat with hygiene opening
- incl. bucket device and bucket
- height adjustable, swinging and detachable foot support
- 4 swivelling castors 4-inch with parking/direction brake
- approved up to 90 kg body weight

ref. no. 357...10

### Accessoires:

- safety belt size S  
ref. no. 322.30.10
- slide-pad for safety belt  
ref. no. 322.10.50

*Comfort  
backrest*



ref. no. 357.54.10

Type:	Bremen
depth:	95 cm
width:	52 cm
seat depth:	44 cm
seat height:	52 cm
seat width:	42 cm
toilet-height with bucket device:	40 cm
max. toilet width:	33 cm
weight:	16,4 kg
max. body weight:	90 kg
ref. no.:	357...10

Colour	Colourcode
grey/grey	03
grey/fire-red	30
grey/rubin-red	44
grey/blue	54

# Venedig

Selfpropelling shower-commode chair



ref. no. 380.54.10

## Equipment:

- ergonomically shaped backrest with polyurethane cushion
- integrated handlebar
- swinging armrests enable easy side transfer
- shower seat with hygiene opening
- incl. bucket device and bucket
- height adjustable, swinging and detachable foot support
- 24-inch driving wheels with grip wheel
- approved up to 100 kg body weight

ref. no. 380. ... 10

## Accessoires:

- safety belt size S  
ref. no. 322.30.10
- slide-pad for safety belt  
ref. no. 322.10.50

Colour	Colourcode
grey/grey	03
grey/fire-red	30
grey/rubin-red	44
grey/blue	54

Type:	Venedig
depth:	97 cm
width:	67 cm
seat depth:	44 cm
seat height:	55 cm
seat width:	42 cm
toilet-height with bucket device:	43 cm
max. toilet width:	33 cm
weight:	23,4 kg
max. body weight:	100 kg
ref. no.:	380. ... 10

Technical changes and changes in colour reserved.

protected  
by  
patent

CE

[www.rebotec.de](http://www.rebotec.de)

Distributed by:

**REBOTEC®** Rehabilitationsmittel GmbH

D-49610 Quakenbrück · Artlandstraße 57 – 59 · Fon +49 (0) 5431 9416-0 · Fax +49 (0) 5431 9416-66

[www.rebotec.de](http://www.rebotec.de) · [info@rebotec.de](mailto:info@rebotec.de)